

## REFERENCES: Pain in Cancer and Palliative Care

1. Abrahm JL: Management of pain and spinal cord compression in patients with advanced cancer. *Annals of Internal Medicine* 131(1): 37-46, 1999.
2. Abrahm JL: Management of pain and spinal cord compression in patients with advanced cancer. *Annals of Internal Medicine*. 131(1):37-46, 1999.
3. Ahmed HE, Craig WF, White PF, Huber P: Percutaneous electrical nerve stimulation (PENS): a complementary for the management of pain secondary to bony metastasis. *Clinical Journal of Pain*. 14(4): 320-3, 1998.
4. Ahmedzai S, Brooks D: Transdermal fentanyl versus sustained-release oral morphine in cancer pain: preference, efficacy and quality of life. The TTS-Fentanyl Comparative Trial Group. *Journal of Pain Symptom Management*. 13(5): 254-61, 1997.
5. Ahmedzai S: New approaches to pain control in patients with cancer. *European Journal of Cancer*. 33 Suppl 6:S8-14, 1997.
6. Allende S, Carvell HC: Mexico: status of cancer pain and palliative care. *Journal of Pain and Symptom Management*. 12(2):121-3, 1996.
7. Angel IF, Gould HJ Jr, Carey ME: Intrathecal morphine pump as a treatment option in chronic pain of nonmalignant origin. *Surgical Neurology*. 49(1):92-8; discussion 98-9, 1998.
8. Anonymous. Cancer pain education: objectives for medical students and residents in primary care specialties. Palliative Oncology Education Section of the American Association for Cancer Education. *Journal of Cancer Education*. 11(1): 7-10, 1996.
9. Anonymous. Morphine in cancer pain: modes of administration. Expert Working Group of the European Association for Palliative Care. *BMJ*. 312(7034): 823-6, 1996.
10. Anonymous: The management of chronic pain in patients with breast cancer. The Steering Committee on Clinical Practice Guidelines for the Care and Treatment of Breast Cancer. Canadian Society of Palliative Care Physicians. Canadian Association of Radiation Oncologists. *CMAJ*. 158 Suppl 3:S71-81, 1998.
11. Arcangeli G, Giovinazzo G, Saracino B, D'Angelo L, Giannarelli D, Arcangeli G, Micheli A: Radiation therapy in the management of symptomatic bone metastases: the effect of total dose and histology of pain relief and response duration. *International Journal of Radiation Oncology, Biology, Physics*. 42(5): 1119-26, 1998.
12. Archibald CJ, McGrath PJ, Ritvo PG, Fisk JD, Bhan V, Maxner CE, Murray TJ: Pain prevalence, severity and impact in a clinic sample of multiple sclerosis patients. *Pain* 58(1): 89-93, 1994.
13. Atkins HL, Mausner LF, Srivastava SC, Meinken GE, Cabahug CJ, D'Alessandro T: Tin-117m(4+)-DTPA for palliation of pain from osseous metastases: a pilot study. *Journal of Nuclear Medicine*. 36(5): 725-9, 1995.
14. Beck SL: Health Policy, health services and cancer pain management in the New South Africa. *Journal of Pain and Symptom Management*. 17(1): 16-26, 1999.
15. Beresford L: Palliative care. Gain on pain. *Hospitals and Health Networks*. 72(15-16): 72, 1998.
16. Berruti A, Dolitotti L, Gorzegno G, Torta M, Tampellini M, Tucci M, Cerutti S, Frezet MM, Stivanello M, Sacchetto G, Angeli A: Differential patterns of bone turnover in relation to bone pain and disease extent in bone in cancer patients with skeletal metastases. *Clinical Chemistry* 45(8 pt 1): 1240-7, 1999.
17. Bodley J: Coeliac plexus block for patients with cancer pain. *Professional Nurse*. 10(5): 278-80, 1995.
18. Borasio GD, Voltz R: Palliative care in amyotrophic lateral sclerosis. *Journal of Neurology*. 244 Suppl 4:S11-7, 1997.
19. Borneman T, Ferrell BR: Ethical issues in pain management. *Clinics in Geriatric Medicine*. 12(3): 615-28, 1996.
20. Brescia FJ: An overview of pain and symptom management in advanced cancer. *Journal of Pain and Symptom Management*. 2(2): S7-11, 1987.
21. Bruera E, Moyano J, Seifert L, Fainsinger RL, Hanson J, Suarez-Almazor M: The frequency of alcoholism among patients with pain due to terminal cancer. *Journal of Pain and Symptom Management*. 10(8): 599-603, 1995.
22. Bruera E, Sloan P, Mount B, Scott J, Suarez-Almazor M: A randomized, double-blind, double-dummy, crossover trial comparing the safety and efficacy of oral sustained-released hydromorphone with immediate-release hydromorphone in patients with cancer pain. Canadian Palliative Care Clinical Trial Group. *Journal of Clinical Oncology*. 14(5): 1731-7, 1996.
23. Burch PL, Hunter KA: Pharmaceutical care applied to the hospice setting: a cancer pain model. *Hospice Journal*. 11(3): 55-69, 1996.
24. Byers K, Axelrod P, Michael S, Rosen S: Infections complicating tunneled intraspinal catheter systems used to treat chronic pain. *Clinical Infectious Diseases*. 21(2): 403-8, 1995.
25. Camaioni D, Evangelista M, Mascaro A, Bosco M, Stancanelli V, Montagna A, Annetta MG: Pain therapy in elderly cancer patients. *Rays*. 22(1 Suppl): 47-52, 1997.
26. Caraceni A, Portenoy, RK: Pain management in patients with pancreatic carcinoma. *Cancer*. 78(3 Suppl):639-53, 1996.
27. Carr CS, Edgar MA: An unusual presentation of acute lumbar nerve root pain. A case report. *Spine*. 21(20): 2387-9, 1996.
28. Cerny K: Vastus medialis oblique/vastus lateralis muscle activity ratios for selected exercises in persons with and without patellofemoral pain syndrome. *Physical Therapy*. 75(8): 672-83, 1995.
29. Cherny, NI: Israel: status of cancer pain and palliative care. *Journal of Pain and Symptom Management*. 12(2): 116-7, 1996.
30. Chung TK, French P, Chan S: Patient-related barriers to cancer pain management in a palliative care setting Hong Kong. *Cancer Nursing*. 22(3): 196-203, 1999.
31. Clark JL, Kalan GE: Effective treatment of severe cancer pain of the head using a low-dose ketamine in opioid-tolerant patient. *Journal of Pain and Symptom Management*. 10(4): 310-4, 1995.
32. Cole MR: Pain control in terminally ill. *Nursing Spectrum (DC/Baltimore Metro Edition)*. 6(20): 14, 1996.
33. Collins JJ, Grier HE, Kinney HC, Berde CB: Control of severe pain in children with terminal malignancy. *Journal of Pediatrics*. 126(4): 653-7, 1995.
34. Collins JJ, Grier HE, Sethna NF, Wilder RT, Berde CB: Regional anesthesia for pain associated with terminal pediatric malignancy. *Pain*. 65(1): 63-9, 1996.

35. Collins JJ: Intractable pain in children with terminal cancer. *Journal of Palliative Care*. 12(3): 29-34, 1996.
36. Coyle N, Adelhardt J, Foley KM, Portenoy, RK: Characteristics of terminal illness in the advanced cancer patient: pain and other symptoms during the last four weeks of life. *Journal of Pain and Symptom Management*. 5(2): 83-93, 1990.
37. Coyle N, Truog RD: HealthCare Ethics Forum 94: Pain management and sedation in the terminally ill. *AACN Clinical Issues in Critical Care Nursing*. 5(3): 360-5, 1994.
38. Crawford H: Patient information for pain control in palliative care. *Nursing Standard*. 11(48):42-4, 1997.
39. Dahl JL: Effective pain management in terminal care. *Clinics in Geriatric Medicine*. 12(2): 279-300, 1996.
40. Dickey NW: Pain management at the end of life. *Journal of Orthopaedics and Sports Physical Therapy*. 24(4): 237-9, 1996.
41. Drake ME Jr : Chronic pain syndrome in amyotrophic lateral sclerosis. *Archives of Neurology* 40(7): 453-4, 1983.
42. Elliot TE: Pain control at the end of life. *Minnesota Medicine*. 80(11): 27-32, 1997.
43. Emmanuel EJ: Pain and symptom control. Patient rights and physician responsibilities. *Hematology-Oncology Clinics of North America*. 10(1): 41-56, 1996.
44. Erdine S: Turkey: status of cancer pain and palliative care. *Journal of Pain and Symptom Management*. 12(2): 139-40, 1996.
45. Esper P, Redman BG: Supportive care, pain management, quality of life in advanced prostate cancer. *Urologic Clinics of North America*. 26(2): 375-89, 1999.
46. Evans N, PalmerA: Controlling breakthrough pain in palliative care. *Nursing Standard*. 13(7): 53-4, 1998.
47. Everts B, Karlson BW, Herlitz J, Abdon NJ, Hedner T: Effects and pharmacokinetics of high dose metoprolol on chest pain in patients with suspected or definite acute myocardial infection. *European Journal of Clinical Pharmacology*. 53(1): 23-31, 1997.
48. Fernandez A, Acuna G: Chile: status of cancer pain and palliative care. *Journal of Pain and Symptom Management*. 12(2): 102-3, 1996.
49. Ferrell BA: Pain evaluation and management in the nursing home. *Annals of Internal Medicine*. 123(9): 681-7, 1995.
50. Field GB, Parry J: Pain control: some aspects of day to day management. *European Journal of Cancer Care (English Language Edition)*. 3(2): 79-86, 1994.
51. Fine PG, Busch MA: Characteristics of breakthrough pain by hospice patients and their caregivers. *Journal of Pain and Symptom Management*. 16(3): 179-83, 1998.
52. Fine PG: Low-dose ketamine in the management of opioid nonresponsive terminal cancer pain. *Journal of Pain and Symptom Management*. 17(4): 296-300, 1999.
53. Fisher HB, Peters TM, Fleming IM, Else TA: Peripheral nerve catheterization in the management of terminal cancer pain. *Regional Anesthesia*. 21(5):482-5, 1996.
54. Fleischman A: Commentary: ethical issues in pediatric pain management and terminal sedation. *Journal of Pain and Symptom Management*. 15(4): 260-1, 1998.
55. Foley K: A 44-year-old woman with severe pain at the end of life. *JAMA* 281(20): 1937-45, 1999.
56. Ganzini L, Johnston WS, Hoffman WF: Correlates of suffering in amyotrophic lateral sclerosis. *Neurology* 52(7): 1434-40, 1999.
57. Gaze MN, Kelly CG, Kerr GR, Cull A, Cowie VJ, Gregor A, Howard GC, Rodger A: Pain Relief and quality of life following radiotherapy for bone metastases: a randomized trial of two fractionation schedules. *Radiotherapy & Oncology*. 45(2): 109-16, 1997.
58. Giammarile F, Moggetti T, Blondet C, Desuzinges C, Chauvot P: Bone pain palliation with 85Sr therapy. *Journal of Nuclear Medicine*. 40(4): 585-90, 1999.
59. Gibbs G: Nurses in private nursing homes: a study of their knowledge and attitudes to pain management in palliative care. *Palliative Medicine*. 9(3): 245-53, 1995.
60. Gibson JM, Kenrick M: Pain and powerlessness: the experience of living with peripheral vascular disease. *Journal of Advanced Nursing*. 27(4): 737-45, 1998.
61. Goh CR: Singapore: status of cancer pain and palliative care. *Journal of Pain and Symptom Management*. 12(2): 130-2, 1996.
62. Gordon RL: Prolonged central intravenous ketorolac continuous infusion in a cancer patient with intractable bone pain. *Annals of Pharmacotherapy*. 32(2): 193-6, 1998.
63. Graham AI, Andren-Sandberg A: Prospective evaluation of pain in exocrine pancreatic cancer. *Digestion*. 58(6): 542-9, 1997.
64. Grond S, Radbruch L, Meuser T, Sabatowski R, Loick G, Lehmann KA: Assessment and treatment of neuropathic cancer pain following WHO guidelines. *Pain* 79(1):15-20, 1999.
65. Hadjistavropoulos HD, Asmundson GJ, Norton GR: Validation of the coping with health, injuries and problems scale in a chronic pain sample. *Clinical Journal of Pain*. 15(1): 41-9, 1999.
66. Han SH, Zonneberg BA, de Klerk JM, Quirijnen JM, van het Schip AD, van Dijk A, Blijham GH, van Rijk PP: 186Re-etidronate in breast cancer patients with metastatic bone pain. *Journal of Nuclear Medicine*. 40(4): 639-42, 1999.
67. Hanks GW: Palliative medicine. Problem area in pain and symptom management. Introduction. *Cancer Surveys* 21: 1-3, 1994.
68. Hassel C: Cancer and chronic pain. *Australian Family Physician*. 28(1): 17-21, 23-4, 1999.
69. Hendrix CL, Jolly GP, Garbalosa JC, Blume P, DosRemedios E: Entrapment neuropathy: the etiology of intractable chronic heel pain syndrome. *Journal of Foot and Ankle Surgery*. 37(4): 273-9, 1998.
70. Higginson IJ, Hearn J: A multicenter evaluation of cancer pain control by palliative care teams. *Journal of Pain and Symptom Management*. 14(1): 29-35, 1997.
71. Ingham JM, Foley KM: Pain and the barriers to its relief at the end of life: a lesson for improving end of life health care. *Hospice Journal*. 13(1-2): 89-100, 1998.
72. Jackson MB, Pounder D, Price C, Matthews AW, Neville E: Percutaneous cervical cordotomy for the control of pain in patients with pleural mesothelioma. *Thorax*. 54(3): 238-41, 1999.
73. Jamison RN, Raymond SA, Slawsby EA, Nedeljkovic SS, Katz NP: Opioid therapy for chronic noncancer back pain. A randomized prospective study. *Spine*. 23(23): 2591-600, 1998.

74. Kaasalainen V, Vainio A, Ali-Melkkilä T: Development in the treatment of cancer pain in Finland: the third nation-wide survey. *Pain*. 70(2-3): 175-83, 1997.
75. Kalkner KM, Westlin JE, Nilsson S, Strang P: Pain figures are unsuitable for determination of palliative radiotherapy portals in patients with hormone refractory prostatic cancer. *Anticancer Research*. 18(3B): 1983-87, 1998.
76. Kasalicky J, Krajska V: The effect of repeated strontium-89 chloride therapy on bone pain palliation in patients with skeletal cancer metastases. *European Journal of Nuclear Medicine*. 25(10): 1362-7, 1998.
77. Kassirer MR, Osterberg DH: Pain in chronic multiple sclerosis. *Journal of Pain and Symptom Management* 2(2): 95-7, 1987.
78. Kimball LR, McCormick WC: The pharmacologic management of pain and discomfort in persons with AIDS near the end of life: use of opioid analgesia in the hospice setting. *Journal of Pain and Symptom Management*. 11(2): 88-94, 1996.
79. Kjaer M: The therapy of cancer pain and its integration into a comprehensive support care strategy. *Annals of Oncology*. 8 Suppl 3: S15-9, 1997.
80. Klorke M, Scheidt H: Pain and symptom control for cancer patients at the University Hospital in Essen: integration of specialists' knowledge into routine work. *Supportive Care in Cancer*. 4(6): 404-7, 1996.
81. Koeberle D, Bacchus L, Thuerlimann B, Senn HJ: Pamidronate treatment in patients with malignant osteolytic bone disease and pain: a prospective randomized double-blind trial. *Supportive Care in Cancer*. 7(1): 21-7, 1999.
82. Kristiansson P, Svardsudd K, von Schoultz B: Reproductive hormones and aminoterminal propeptide of type III procollagen in serum as early markers of pelvic pain during late pregnancy. *American Journal of Obstetrics and Gynecology*. 180(1 Pt 1): 128-34, 1999.
83. Kylmala T, Taube T, Tammela TL, Risteli L, Risteli J, Elomaa I: Concomitant i.v. and oral clodronate in the relief of bone pain: a double-blind placebo-controlled study in patients with prostate cancer. *British Journal of Cancer*. 76(7): 939-42, 1997.
84. LaDuke SD: Pain management at the end of life: a critical care perspective. *Journal of the New York State Nurses Association*. 29(2): 9-12, 1998.
85. Larue F, Fontaine A, Brasseur L, Neuwirth L: France: status of cancer pain and palliative care. *Journal of Pain and Symptom Management*. 12(2): 106-8, 1996.
86. Laudico AV: The Philippines: status of cancer pain and palliative care. *Journal of Pain and Symptom Management*. 12(2): 133-5, 1996.
87. Lazorthes YR, Sallerin BA, Verdier JC: Intracerebroventricular administration of morphine for control of irreducible cancer pain. *Neurosurgery*. 37(3): 422-8; discussion 428-9, 1995.
88. Leow KP, Cramond T, Smith MT: Pharmacokinetics and pharmacodynamics of oxycodone when given intravenously and rectally to adult patients with cancer pain. *Anesthesia and Analgesia*. 80(2): 296-302, 1995.
89. Levin ML, Berry JI, Leiter J: Management of pain in terminally ill patients: physician reports of knowledge, attributes, and behavior. *Journal of Pain and Symptom Management*. 15(1): 27-40, 1998.
90. Levy MH: Pain control in patients with cancer. *Oncology*. 13(5 Suppl 2):9-14, 1999.
91. Librach SL: Special issues in pain control during terminal illness. *Canadian Family Physician*. 41: 415-9, 1995.
92. Lickiss JN: Australia: status of cancer pain and palliative care. *Journal of Pain and Symptom Management*. 12(2): 99-101, 1996.
93. Loh YC, Stanley JK, Jari S, Trail IA: Neuroma of the distal posterior interosseous nerve. A cause of iatrogenic wrist pain. *Journal of Bone and Joint Surgery-British Volume*. 80(4): 629-30, 1998.
94. MacDonald N, Findlay HP, Bruera E, Drudgeon D, Kramer J: A Canadian survey of issues in cancer pain management. *Journal of Pain & Symptom Management*. 14(6): 332-42, 1997.
95. Macklis RM, Cornelli H, Lasher J: Brief courses of palliative radiotherapy for metastatic bone pain: a pilot cost-minimization comparison with narcotic analgesics. *American Journal of Clinical Oncology*. 21(6): 617-22, 1998.
96. Magnusson P, Larsson L, Englund G, Larsson B, Strang P, Selin-Sjogren L: Differences of bone alkaline phosphate isoforms in metastatic bone disease and discrepant effects of clodronate on different skeletal sites indicated by the location of pain. *Clinical Chemistry*. 44(8 Pt 1): 1621-8, 1998.
97. McCabe MJ: Ethical issues in pain management. *Hospice Journal*. 12(2): 25-32, 1997.
98. McConochie A: Care of emotional and physical pain in a client with HIV. *Nursing Times*. 90(33): 36-7, 1994.
99. McGrath PA: Development of the World Health Organization Guidelines on Cancer Pain Relief and Palliative Care in Children. *Journal of Pain and Symptom Management*. 12(2): 87-92, 1996.
100. Mercadante S, Agnello A, Armata MG, Pumo S: The inappropriate use of the epidural route in cancer pain. *Journal of Pain and Symptom Management*. 13(4): 233-237, 1997.
101. Mercadante S, Armata M, Salvaggio L: Pain characteristics of advanced lung cancer patients referred to a palliative care service. *Pain*. 59(1): 141-145, 1994.
102. Mercadante S, Sapio M, Serretta R, Caligara M: Patient-controlled analgesia with oral methadone in cancer pain: preliminary report. *Annals of Oncology*. 7(6): 613-7, 1996.
103. Mercadante S: Pain treatment and outcomes for patients with advanced cancer who receive follow-up care at home. *Cancer*. 85(8): 1849-58, 1999.
104. Merrill JM, Hill CS, Laux LM, Lorimor RI, Thornby , Thorpe D, Weinstein SM: Measuring medical students' reluctance to prescribe opioids for cancer pain. *Psychological Reports*. 84(1): 28-30, 1999.
105. Merriman A: Uganda: status of cancer pain and palliative care. *Journal of Pain and Symptom Management*. 12(2): 141-143, 1996.
106. Meyer M: Palliative care and AIDS: Pain. *International Journal of STD & AIDS*. 10(2): 80-6; quiz 87-8, 1999.
107. Miller FG: RE: The ethics of death-hastening or death-causing palliative analgesic administration. *Journal of Pain and Symptom Management*. 14(1): 29-35, 1997.
108. Mortimer JE, Barlett NL: Assessment of knowledge about cancer pain management by physicians in training. *Journal of Pain and Symptom Management*. 14(1): 21-8, 1997.
109. Moulin DE, Foley KM, Ebers GC: Pain syndromes in multiple sclerosis. *Neurology* 38(12): 1830-4, 1988.
110. Moulin DE: Pain in multiple sclerosis. *Neurologic Clinics* 7(2): 321-31, 1989.

111. Nelson KA, Glare PA, Walsh D, Groh ES: A prospective, within-patient crossover study of continuous intravenous and subcutaneous morphine for chronic cancer pain. *Journal of Pain and Symptom Management*. 13(5): 262-7, 1997.
112. Newsham G, Sherman DW: Palliative care: pain and symptom management in persons with HIV/AIDS. *Nursing Clinics of North America*. 34(1): 131-45, 1999.
113. Nichols R: Pain during sickle-cell crises. *American Journal of Nursing* 96(1): 59-60, 1996.
114. Nightengale B, Brune M, Blizzard SP, Ashley-Johnson M, Slan S: Strontium chloride Sr 89 for treating pain from metastatic bone disease. *American Journal of Health System Pharmacy*. 52(20): 2189-95, 1995.
115. O'Callaghan CC: Pain, music creativity and music therapy in palliative care. *American Journal of Hospice and Palliative Care*. 13(2): 43-9, 1996.
116. O'Neill B, Fallon M: ABC of palliative care. Principles of palliative care and pain control. *BMJ*. 315(7111): 801-4, 1997.
117. Ohlsson LJ, Rydberg TS, Eden T, Glimhall BA, Thulin LA: Microbiologic and economic evaluation of multiday infusion pumps for control of cancer pain. *Annals of Pharmacotherapy*. 29(10): 972-6, 1995.
118. Okuda-Ashitaka E, Minami T, Tachibana S, Yoshihara Y, Nishiuchi Y, Kimura T, Ito S: Nocistatin a peptide that blocks nociceptin action in pain transmission. *Nature*. 392(6673): 286-9, 1998.
119. Paix A, Coleman A, Lees J, Grigson K, Brooksbank M, Thorne D, Ashby M: Subcutaneous fentanyl and sufentanil infusion substitution for morphine intolerance in cancer pain management. *Pain*. 63(2): 263-9, 1995.
120. Penfield J, Clark AJ: Pain syndromes in HIV infections. *Canadian Journal of Anaesthesia* 39(7): 724-730, 1992.
121. Philip J, Smith WB, Craft P, Lickiss N: Concurrent validity of modified Edmonton Symptom Assessment System with the Rotterdam Symptom Checklist and the Brief Pain Inventory. *Supportive Care in Cancer*. 6(6): 539-41, 1998.
122. Platt OS, Thorington BD, Brambilla DJ, Milner PF, Rosse WF, Vichinsky E, Kinney TR: Pain in sickle cell disease. Rates and risk factors. *New England Journal of Medicine* 325(1): 11-6, 1991.
123. Pons F, Herranz R, Garcia A, Vidal-Sicart S, Conill C, Grau JJ, Alcover J, Fuster D, Setoain J: Strontium-89 for palliation of pain from bone metastases in patients with prostate and breast cancer. *European Journal of Nuclear Medicine*. 24(10): 1210-4, 1997.
124. Portenoy RK, Kornblith AB, Wong G, Vlamis V, Lepore JM, Loseth DB, Hakes T, Foley KM, Hoskins WJ: Pain in ovarian cancer patients. Prevalence, characteristics, and associated symptoms. *Cancer*. 74(3): 907-15, 1994.
125. Raja SN: Role of the sympathetic nervous system in acute pain and inflammation. *Annals of Medicine*. 27(2): 241-6, 1995.
126. Remon JP, Vermeire A: Re: Use of rectal medications in palliative care. *Journal of Pain and Symptom Management*. 13(6): 313-4, 1997.
127. Richards S: Which analgesia? Guidelines to pharmacological pain control. *Professional Nurse*. 12(9 Suppl): 1-12, 1997.
128. Ripamonti C, De Conno F, Groff L, Belzile M, Pereira J, Hanson J, Bruera E: Equianalgesic dose/ratio between methadone and other opioid agonists in cancer pain: comparison of two clinical experiences. *Annals of Oncology*. 9(1): 79-83, 1998.
129. Ripamonti C, Zecca E, De Conno F: Pharmacological treatment of cancer pain: alternative routes of opioid administration. *Tumori*. 84(3): 289-300, 1998.
130. Roberts A: Drugs used for pain relief in palliative care. *Professional Nurse*. 13(2): 90-5, 1997.
131. Robinson RG, Preston DF, Schiefelbein M, Baxter KG: Strontium 89 therapy for the palliation of pain due to osseous metastases. *JAMA*. 274(5): 420-4, 1995.
132. Robinson WM, Ravilly S, Berder C, Wohl ME: End-of-life care in cystic fibrosis. *Pediatrics* 100(2): 205-209, 1997.
133. Rose KE: Pain management in advanced cancer. *Nursing Standard* 11(17): 49-55, 1997.
134. Rousseau P: Do terminally ill patients receive adequate pain management?. *Drugs and Aging*. 8(4): 233-6, 1996.
135. Russo CM, Brose WG: Chronic pain. *Annual Review of Medicine*. 49: 123-33, 1998.
136. Ruttan EH, Crul BJ, van der Toorn PP, Otten AW, Dirksen R: Pain characteristics help to predict the analgesic efficacy of radiotherapy for the treatment of cancer pain. *Pain*. 69(1-2): 131-5, 1997.
137. Sallerin-Caute B, Lazorthes Y, Deguine O, Frances B, Verdier JC, Charlet JP, Bastide R: Does intrathecal morphine in the treatment of cancer pain induce the development of tolerance?. *Neurosurgery*. 42(1): 44-9; discussion 49-50, 1998.
138. Seibert DG, Matulis SR: Santorinicele as a cause of chronic pancreatic pain. *American Journal of Gastroenterology*. 90(1): 121-3, 1995.
139. Serb C: End-of-life care. Plan B for pain code. *Hospitals and Health Networks*. 72(4): 84, 1998.
140. Sirkia K, Hovi L, Pouttu J, Saarinen-Pihkala UM: Pain medication during terminal care of children with cancer. *Journal of Pain and Symptom Management*. 15(4): 220-6, 1998.
141. Soebadi RD: Tejawinata S. Indonesia : status of cancer pain and palliative care. *Journal of Pain and Symptom Management*. 12(2): 112-5, 1996.
142. Sorkin LS, Wallace MS: Acute pain mechanisms. *Surgical Clinics of North America*. 79(2): 213-29, 1999.
143. Stein WM, Miech RP: Cancer pain in the elderly hospice patient. *Journal of Pain and Symptom Management*. 8(7): 474-82, 1993.
144. Stenager E, Knudsen L, Jensen K: Acute and chronic pain syndromes in multiple sclerosis. *Acta Neurologica Scandinavica*. 84(3): 197-200, 1991.
145. Stevens MM, Dalla Pozza L, Cavalletto B, Cooper MG, Kilham HA: Pain and symptom control in pediatric palliative care. *Cancer Surveys*. 21: 211-31, 1994.
146. Stjernsward J, Colleau SM, Ventafridda V: The World Health organization cancer pain and palliative care program. Past, present, and future. *Journal of Pain and Symptom Management*. 12(2): 65-72, 1996.
147. Strumpf M, Zenz M, Donner B: Germany: status of cancer pain and palliative care. *Journal of Pain and Symptom Management*. 12(2): 109-11, 1996.
148. Sullivan M, Rapp S, Fitzgibbons D, Chapman CR: Pain and the choice to hasten death in patients with painful metastatic cancer. *Journal of Palliative Care*. 13(3): 18-28, 1997.
149. Sun WZ, Hou WY, Li JH: Republic of China: status of cancer pain and palliative care. *Journal of Pain and Symptom Management*. 12(2): 127-9, 1996.
150. Sykes J, John R, Hanks GW: ABC of palliative care: Difficult pain problems. *British Medical Journal* 315(7112) : 867-869, 1997.

151. Sze FK, Chung TK, Wong E, Lam KK, Lo R, Woo J: Pain in Chinese cancer patients under palliative care. *Palliative Medicine*. 12 (4): 271-7, 1998.
152. Takeda F: Japan: status of cancer pain and palliative care. *Journal of Pain and Symptom Management*. 12(2): 118-20, 1996.
153. Talmi YP, Waller A, Bercovici M, Horwitz Z, Pfeffer MR, Adunski A, Kronenberg J: Pain experienced by patients with terminal head and neck carcinoma. *Cancer*. 80(6): 1117-23, 1997.
154. Twycross R, Harcourt J, Bergl S: A survey of pain in patients with advanced cancer. *Journal of Pain and Symptom Management*. 12(5):273-82, 1996.
155. Twycross RG, Fairfield S: Pain in far-advanced cancer. *Pain*. 14(3): 303-10, 1982.
156. Twycross RG: Management of pain in skeletal metastases. *Clinical Orthopedics and Related Research*. (312): 187-96, 1995.
157. Unruh AM, Richie J, Merskey H: Does gender affect appraisal of pain and pain coping strategies?. *Clinical Journal of Pain*. 15(1): 31-40, 1999.
158. Urba SG: Nonpharmacologic pain management in terminal care. *Clinics in Geriatric Medicine*. 12(2): 301-11, 1996.
159. Vainio A: Treatment of terminal cancer pain in France: a questionnaire study. *Pain*. 62(2): 155-62, 1995.
160. Vigano A, Bruera E, Suarez-Almazor ME: Age, pain intensity, opioid dose in patients with advanced cancer. *Cancer*. 83(6): 1244-50, 1998.
161. Vuorinen E, Vainio A, Reponen A: Backlash in the treatment of cancer pain: use of opioid analgesics in a Finnish general hospital in 1987, 1991, and 1994. *Journal of Pain and Symptom Management*. 14(5): 286-91, 1997.
162. Wagemans MF, van der Valk P, Spoelder EM, Zuurmond WW, de Lange JJ: Neurohistopathological findings after continuous intrathecal administration of morphine or a morphine/bupivacaine mixture in cancer pain patients. *Acta Anaesthesiologica Scandinavica*. 41(8): 1033-8, 1997.
163. Walsh TD, Saunders CM: Hospice care: the treatment of pain in advanced cancer. *Recent Results in Cancer Research*. 89: 201-11, 1984.
164. Warnell P: The pain experience of a multiple sclerosis population: a descriptive study. *Axone* 13(1):26-8, 1991.
165. Watanabe S, Belzile M, Kuehn N, Hanson J, Bruera E: Capsules and suppositories of methadone for patients on high-dose opioids for cancer pain: clinical and economic considerations. *Cancer Treatment Reviews*. 22 Suppl A:131-6, 1996.
166. Wenk R, Ochoa J: Argentina: status of cancer pain and palliative care. *Journal of Pain and Symptom Management*. 12(2): 97-8, 1996.
167. Westlin JE, Letocha H, Jakobson A, Strang P, Martinsson U, Nilsson S: Rapid, reproducible pain relief with iodine meta-iodobenzylguanidine in a boy with disseminated neuroblastoma. *Pain*. 60(1): 111-4, 1995.
168. Wong JO, Chiu GL, Tsao CJ, Chang CL: Comparison of oral controlled-release morphine with transdermal fentanyl in terminal cancer pain. *Acta Anaesthesiologica Sinica*. 35(1): 25-32, 1997.
169. Woodroffe MA, Hays H: Fentanyl transdermal system. Pain management at home. *Canadian Family Physician*. 43: 268-72, 1997.
170. Woolf CJ. Phenotypic modification of primary sensory neurons: the role of nerve growth factor in the production of persistent pain. *Philosophical Transactions of Royal Society of London-Series B: Biological Sciences*. 351(1338):441-8, 1996.
171. Woolf L: Pain management in palliative care. *Community Nurse*. 4(10): 41-3, 1998.
172. Wright E, Anderson G, Schulte J: A randomized clinical trial of intraoral soft splints and palliative treatment for masticatory muscle pain. *Journal of Orofacial Pain*. 9(2): 192-9, 1995.
173. Yaksh TL, Hua XY, Kalcheva I, Nozaki-Taguchi N, Marsala M: The spinal biology in humans and animals in pain states generated by persistent small afferent input. *Proceedings of the National Academy of Sciences of the United States of America*. 96(14): 7680-6, 1999.
174. Yang CY, Wong CS, Chang JY, Ho ST: Intrathecal ketamine reduces morphine requirements in patients with terminal cancer pain. *Canadian Journal of Anaesthesia*. 43(4): 379-83, 1996.
175. Zech DF, Grond S, Lynch J, Hertel D, Lehmann KA: Validation of World Health Organization Guidelines for cancer pain relief: a 10-year prospective study. *Pain*. 63(1): 65-76, 1995.
176. Zhang H, Gu WP, Joranson DE, Cleeland C: People's Republic of China: status of cancer pain and palliative care. *Journal of Pain and Symptom Management*. 12(2): 124-6, 1996.
177. Ziprin P, Williams P, Foster ME: External oblique aponeurosis nerve entrapment as a cause of groin pain in the athlete. *British Journal of Surgery*. 86(4): 566-8, 1999.
178. Zyllicz Z: The Netherlands: status of cancer pain and palliative care. *Journal of Pain and Symptom Management*. 12(2): 136-8, 1996.

## REFERENCES: Acetaminophen vs. Propoxyphene

1. Sewell RD, Gonzalez JP, Pugh J. *Comparison of the relative effects of aspirin, mefenamic acid, dihydrocodeine, dextropropoxyphene and paracetamol on visceral pain, respiratory rate and prostoglandin biosynthesis.* Arch Int Pharmacodyn Ther, 1984. **268**(2): p. 325-6.
2. Hardin JG, Kirk KA. *Comparative effectiveness of five analgesics for the pain of rheumatoid synovitis.* J Rheumatol. 1979. **6**(4): p. 405-12.
3. Gruber CM, Baptista A, Bauer RO, Jain A, Lash AF, McMahon FG. *A multicenter analgesic study using single doses of placebo, propoxyphene, and acetaminophen.* J Med. 1977. **8**(1): p. 35-51.
4. Smith MT, Levin HM, Bare WW, Berry FN, Miller JM. *Acetaminophen extra strength capsules versus propoxyphene compound-65 versus placebo: a double blind study of effectiveness and safety.* Curr Ther Res Clin Exp. 1975. **17**(5): p. 452-9
5. Berry FN, Miller JM, Levin HM, Bare WW, Hopkinson JH, Felsman AJ. *Curr Ther Res Clin Exp.* 1975. **17**(4): p. 361-8.
6. Hopkinson JH, Bartlett FH, Steffens AO, McGlumphy TH, Macht EL, Smith M. *Acetaminophen versus propoxyphene hydrochloride for relief of pain in episiotomy patients.* J Clin Pharmacol. 1973. **13**(7): 251-63.
7. Jonasson Ulf, Jonasson B, Saldeen T. *Correlation between prescription of various dextropropoxyphene preparations and their involvement in fatal poisonings.* Forensic Science International. 1999. **103**. P.125-132.